1

## SOUTHERN RAILWAY

## TIRUCHCHIRAPPALLI DIVISION

## SELECTION FOR THE POST OF SECTION CONTROLLER IN PAY LEVEL L- 06 OF PAY MATRIX (GRADE PAY Rs. 4200/- VII PC) AGAINST 75% PROMOTIONAL QUOTA (PRQ) IN OPERATING DEPARTMENT

Date: 15.04.2023

Duration: 2 hrs

Maximum Marks: 100

## INSTRUCTIONS:

- 1. Answer any 100 questions only in the Answer Book. Each question carries equal mark  $(100 \times 1 = 100)$
- 2. The Questions on 'Official Language' are not compulsory and the evaluation will be made only in respect of questions for 100 marks.
- 3. There shall be No Negative marks for incorrect answers.
- 4. No indications, such as Name, Staff No., Roll No., etc., regarding the identity of the candidate shall be made in the answer book except in fly leaf. Answer book will not be taken up for valuation, if any marks/ symbols is found anywhere in the answer book.
- 5. Overwriting, addition, deletion in the answer book shall be avoided. It will be treated as wrong answer only.

Questions:			
1. Wind velocity measured	by		
A. Anemometer	B. Spectrometer	C. Thermometer	D. Hydrometer
2. GRS issued by			
A. DRM	B. GM	C. Railway Board	D. CRS
3. If period of absence is _ obtained.	consecutive days	or more, a fresh declar	ation shall be
A. 15	B. 5	C. 16	D. 10
4. Gradients at stations are	e given in		
A. SWR	B. GWR	C. GRS	D. None of these
5. What is the aspect of Di	stant signal at ON?		**
A. Danger	B. Caution	C. Proceed	D. Attention
6. Authorised officer of So	uthern Railway		
A. PCOM	B. PCSO	C. GM	D. AGM

7. When Hot Axle noticed in	running Train, it must	be stopped	
A. Immediately		B. In next station	
C. Next stopping poi	nt	D. None of these	
8. While receiving the train of the obstruction.	on obstructed line hand	l signal shall be exhibite	ed meters from
A. 20	B. 45	C. 180	D. 50
9. Within Station Home sign	als, Level crossing Gate	es are manned by	staff.
A. Traffic	B. Engineerin	g	
C. Commercial	D. None of th	ese	
10. What are the effects of	Brake Binding?		
A. Derailment	B. Flat Tyre	C. Hot axle	D. None of these
11. What is the type of ACC	W Coach?		
A. AC Three Tier	B. AC Two Tier	C. AC Chair car	D. None of these
12. RDSO situated at			
A. Mumbai	B. Hyderabad	C. Kolkata	D. Lucknow
13. RWF situated at			
A. Chennai	B. Yelahanka	C. Patna	D. Pune
14. What is the colour of Br	ake pipe?		
A. White	B. Green	C. Red	D. None of these
15. Trap point in Loop line p	orotect lin	e.	
A. Running line	B. Main Line	C. Siding line	D. None of these
16. In Multiple aspect area t	he first Reception Stop	o signal	
A. Distant	B. Home	C. Home outer	D. None of these
17. Sighting committee show	uld conduct Foot plate	inspection once in	months.
A. 4	B. 3	C. 6	D. 5
18. Calling ON signal is a	VA Parket Indiana		
A. Hand signal	B. Main signal C.	Subsidiary Signal	D. None-of these
19. In level crossings Emerg	ency buttons are provi	ded in the use of	
A. Putting back the g	ate signal	B. Protecting the LC g	gate
C. Stop the Road Tra	ffic	D. None of these	
20. What should not be don	e after trail through?		
A. Stop the Train	B. Back the Train	C. Proceed the train	D. None of these
21. For protection of a train	in Absolute Block Syst	em BG, The first deton	ator is placed at
A. 400 mtrs	B. 600 mtrs	C. 500 mtrs	D. 250 mtrs

22. Permanent speed restric	ctions are notified throu	ugh			
A. WTT	B. GRS	C. SWR		D. F	TT
23. Minimum permissible ru	inning time is calculate	d based on the			
A. MPS	B. Booked spe	ed C. Both	a & b	D. I	Vone
24. The Fog signal post is pla	aced from the outermo	st STOP signal a	t a distar	nce of	
A. 180 mtrs	B. 400 mtrs	C. 270 mtrs	C	). 120 mtr	S
25. IBP is treated as					
A. Block station	B. Non-block station	C. Spl. Class st	ation [	D. None	
26. Orientation certificate is	sued to Guard working	; in ar	eA.		
A. Automatic	B. Single line	C. Absolute		D. Double	line
27. Which one of the follow	ing is not tanker type v	vagon?			
A. BTPN	B. BTPGLN	C. BTLFN		D. BLCA	*
28. Head Quarters of South	Western Railway is				
A. Bangalore	B. Mysore	C. Nagpur	[	). Hubli	
29. Maximum BCN can	be attached in a goods	train.			
A. 40	B. 42	C. 44	ſ	0. 46	
30. Chapter V in GRS deals v	with	<del></del> •			
A. Signals		B. Level crossi	ngs		
C. Control & working	g of stations	D. Block work	ng		
31. Station section available	in class station				
A. D	B. C	C. B		D. A	
32. Station warning board s	hall be placed m	eters rear of No	on-block :	station.	
A. 1000	B. 1100	C. 1300	ָ ו	D. 1200	
<b>33.</b> What is the height at wh from	nich the normal aspect	of a colour light	signal is	to be plac	ced
the rail level?					
A. Approximately at	2.65 Mts	B. Approxima	tely at 3.	65 Mts -	
C. Approximately at	4.65 Mts	D. Approxima	tely at 5.	65 Mts	
34. GSS fails at outside stati	on limitclose the	e gateo	pen the g	gate.	
A. LP, Guard	B. Guard, SM	C. LP, ALP	1	D. JE, SSE	
35. India's longest train in to	erms of distance & trav	rel time			
A. MAS-NZM	B. TN-OKHA	C. JAT-BDTS	ſ	D. CAPE-D	BRG
36. "Signals" fall under chap	oter of GRS.				
Λ Μ	R V	CIV	1	nii c	

37. What is the expansion of	CTR with respect to	Track?	
A. Combined Track Re		B. Complete Track I	Removal
C. Complete Track Re	enewal	D. Complete Track	Repair
38. S&T workshop in Southe	rn Railway located a	t	
A. Trichy	B. Madurai	C. Palghat	D. Podanur
39. Which one of the follow	ing is IT wing of India	an Railways?	
A. CRIS	B. COFMO	N C. RDSO	D. CORE
40. WLRRM is a			
A. Generator car	B. Pantry car	C. First class car	D. Ladies car
41. The code of AC pantry co	ar is		
A. WCBAC	B. WGCB	C. WLRRM	D. WLLRM
42. Which of the following i	s not LHB coach?		
A. GSLRD	B. LWSCN	C. LWACCN	D. LWACCW
43. The form for "Block tick	et to proceed witho	ut line clear" is	
A. T/C 602	B. T/B 602	C. T/A 602	D. T/J 602
44. Two short whistles by L	oco pilot indicates_		
A. Call for Guard's s	ignal B.	Call for Guard to come	to Engine
C. Approaching tuni		Passing stop signal at C	
45. Form to filled by the Gu	ard and Driver in th	e case of persons fallin	g out of train is
A. ACC-1	B. ACC-2	C. ACC-3	D. ACC-4
46. CCRS (Chief Commissio	ner of Railway Safet	y) office at	
A. Delhi	B. Mumbai	C. Lucknow	D. Bengaluru
47. RCT in Kerala located a	t		
A. Trivandrum	B. Palakka	d C. Ernakul	am D. Calicut
48. The first letter 'Y' indica	ates in locomotives		
A. Broad guage	B. Metre guage	C. Narrow gauge	D. None of the above
49. Guard has auth	ority with his essent	ial equipments.	
A. T/409	B. T/609	C. T/D 1425	D. T/369(3b)
50. Breach of Block Rules of	classified as class	accident.	N - 4
A. K	B. L	C. H	D. G
<b>51.</b> Collision falls under	class accident.		
Λ Λ	B I	C. H	D. G

52. During accident, the talkrs is	rget time for turning ou	t the break down spec	cial during 6 to 18
A. 10 minutes	B. 20 minutes	C. 30 minutes	D. 45 minutes
53. Aspect of calling on sig	nal at ON is		
A. Green	B. Red	C. White	D. No light
54. All points shall normall	y be set for the		
A. running line	B. loopline	C. straight lin	ne D. none
55. What shall be the clear road level?	rance of the height gaug	ge at LCs in the electrif	ied section from the
A. 2.67 m	B. 3.67 m	C. 4.67 m	D. 5.67 m
56. Σ (Sigma) board indica	tes		
A. ahead of stop sig	gnal	B. ahead of s	hunt signal
C. ahead of LC		D. none of th	ne above
57. What is the maximum Panel	time required for cance	llation of route initiate	ed for a train in RRI /
Interlocked stations?			
A. 60 Seconds	B. 90 seconds	C. 120 Seconds	D. 150 Seconds
58. What type of whistle of	code shall sound by the	Loco Pilot to indicate	that the Train cannot
proceed on account of acc	ident, failure, obstructi	on or other exception	al cause?
A. 0000	B. 000	C. 00	D. 0
<b>59.</b> means un	steady illumination of a	any one aspect of a sig	nal.
A. Bobbing	B. Flickering	C. Indication D. No	one of the above
60. What is the 'ON' aspec	ct of a Colour light Repe	ating Signal?	
A. Red light	B. Green light	C. Yellow light	D. No light
61. If inner distant signal is	s provided the normal a	spect of distant signal	İs
A. Stop	B. Proceed	C. Attention	D. Caution
62. What are the items sh	all not be used to exting	guish petrol or oil or El	ectrical fires?
A. DCP	B. Water	C. Steam	D. Both b & c
63. At What distance, the	W/L board shall be pro	vided from the LC?	
A. 300 m	B. 600 m	C. 900 m	D. 1200 m
64. What distance, the Ba the centre line of the LC?	nner flag shall be provid	ded at LC in case of any	obstruction from
A. 2 m	B. 3 m	C. 5 m	D. 10 m

65. W	hat is the method usin	g in Railways for	scanning the rails?	
	A. USFD	B. FRED	C. SPAD	D. LASER
66. TI	ne knowledge of Fog sig	gnal man is to be	tested once in mo	nths.
	A. 3	B. 6	C. 9	D. 12
67. F	irst aid box has to be re	plenished once i	n months.	
	A. 3	B. 6	C. 9	D. 12
68. V	What is the expansion o	fl.s.M.D.?		
	A. Infringing State M	oving Dimensior	)S	
	B. Infringing Standar	d Working Dime	nsions	
	C. Infringing Steel M	oving Dimension	ıs.	
	D. Infringing Standar	rd Moving Dimer	nsions	
69. \	What is the expansion o	f CCRS?		
	A. Chief Commission	ner of Railway Sa	fety	
	B. Central Commissi	oner of Railway	Safety	
	C. Commercial Com	missioner of Rail	way Safety	
	D. Common Commis	ssioner of Railwa	y Safety	
	What is the Form numb	er for works invo	olving Disconnection or	Reconnection of
gear	rs?			
	A. S&T (T/350)		B. S&T (T/351)	
	C. S&T (T/349)		D. S&T (T/352)	
71.	Appearance and Disapp	pearance of diffe	rent aspects of a signal	is known as
	A. Aspect	B. Indication	C. Bobbing	D. Flickering
72.	Expansion of SEJ is			
	A. Switch Expansion	n Joint	B. Store Expan	sion Joint
	C. Safety Expansion	Joint	D. Street Expa	nsion Joint
73.	When a fixed signal is r	not in use it shall	be distinguished by	
	A. Three crossed ba C. Two Round bars	ars	B. Two crossed bars D. Three square bars	
74.	The bell code signal giv	en when train p	assed without LV board	/ tail lamp is
	A. 6 pause 4	B. 6 pause 2	C. 6 pause 1	D. 6 pause 3
75.	The bell code signal giv	ven when stop &	examine the train is	
	A 6 nauca A	R 6 nause 2	C. 6 pause 1	D. 6 pause 3

76. UTS is abbreviated	d for		
A. Ultimate Te	nsile Strength	B. Universal	Turnout Standards
C. Under Tens		D. None of t	
<b>77.</b> rails are provided particular degree.	on a broad gauge	track if the sharpness of	the curve is more than a
A. Check rail	B. Wing ra	il C. Nose rail	D. Stock rail
78. Level crossing is c	lassified on the ba	sis of	
A. Public cens	us .	B. Train Vehicle Uni	t
C. Land survey	1	D. Number of trains	5
79 number of F	N books are suppl	ied to station / cabin.	
A. 5	B. 4	C. 3	D. 2
80. A passenger carry timings.	/ing train cannot b	e started from a station	before departure
A. WTT	B. Adverti	sed time C. Bo	oth D. None
	d from a moving to	rain indicates	
	B. Flat Tyre		D. Weld Failure
82. Fire Extinguisher			
*		C. JE (C&W)	D. SS/SMR
		to run only during	
3		C. Day & night	
120/05 ,		exceed KMPH.	
A. 75	B. 60	C. 40	D. No speed limit
85. Who is the sanct	ioning authority fo	r Class 'C' ODC?	
A. GM	B. CRS	C. PCOM	D. Sr.DOM
86. Who is the sanct	ioning authority fo	or Class 'A' ODC within th	ne división?
A. DRM	B. CRS	C. PCOM	D. Sr.DOM
87. Who is the sanct divisions?	ioning authority fo	or Class 'A' ODC when mo	oved over more than two
A. DRM	B. CRS	C. PCOM	D. Sr.DOM
88. Caution order in	Form T/409 is give	en at	
A. Notice sta	tion B	. All stopping stations	
C. All block s	tations D	. Halt station	
89. Block overlap in	multiple aspect sig	gnalling shall not be less	than mts.
A. 120	B. 180	C. 220	D. 400

•	90. For granting line clear at a	class A station	, line shall	be clear for at	least 400 mts beyond
	home signal or up to				
	A. Shunt signal	B. FSS		C. LSS	D. Starter
j	91. Authority to perform shunt	ting beyond L	SS up to FS	S in Tokenless	single line is
	A. T/806		B. T/806+9	shunt key	
	C. T/806 + written men	no	D. T/806 +	SMT	
	92. Which of the following boa	ard is provided	l in rear of	FSS?	
	A. Shunting warning bo	pard		Shunting limit	
	C. Block section limit b			Station warni	ng boarD.
	93. Turning out time for MRV	special from a	double ex	it siding is	
		B. 15 mins		20 mins	D. 25 mins
	94. During total interruption of trains is	of communica			*
	A. Paper line clear tick	et	В.	Conditional li	ne clear ticket
	C. Partial interruption			T.1408	
	95. During temporary single li the train shall be received on	ne working w	hen a trair	is approachir	ng a station on wrong line
	A. Signals B. SPT		69(3b)		en memo by piloting
	<b>96.</b> When LP reports heavy luto	rch/rough rur	ning Cauti	on order is iss	ued to restrict the speed
	A. 5 kmph	B. 10 kmph		. 15 kmph	D. walking speed
	97. Authority for Relief train/		er obstruct	ed block secti	on is
	A. T/A 602	B. T/B 602		. T/C 602	D. T/D 602
	98. Waving a white light vert		lown as hig	gh and as low	as possible is
	A. Danger signal		B. Partin		
	C. Starting Signal		D. All rig	ht signal	
	99. To indicate train parting	during day the	Gateman	shall use	
	A. Green flag	B. red flag		and red flags	D. bare arms
	100. SWR shall be reviewed	once in yea	ırs.		
	A. 7 B. 5	C. 3		0. 2	
	101. When Hindi day celebra	ated every yea	r?		
	A. Sep 14	B. Oct 16		C. Sep 16	D. Oct 14
	102. When was Official Lang	uage Act 1963	passed?		
	A. 05.10.1963	B. 14.09.196		C. 10.05.1963	D. 14.10.1963

103. Dadra & Nagar Haveli comes u	ınder which reg	ion?		
A. D B. C	C. B	D. A		
104. Circulars & Memorandums cor	nes under whicl	n section of the Offi	cial language Act 196	3?
A. Sec 3(1) B. Sec	3(2)	C. Sec 3(3)	D.sec 3(4)	
105. Who prepares the Annual Prop	gramme on Offi	cial language?		
A. Ministry of Personnel		B. Ministry of Hor	ne Affairs	
C. Ministry of Home Parliam	nentary Affairs	D. Ministry of Civi	l Aviation	
106. In which name cash award sch Hindi on Technical Railway subjects		ry of Railways for v	vriting original books	in :
A. Shri. Jawaharlal Nehru	B. Shr	i. Lal Bahadur Shasi	tri	
C. Dr. B.R. Ambedkar	D. Shr	i. Mahatma Gandh		
107. Who is the chairman of Centra	al Hindi commit	tee?		
A. Prime minister	B. Home mini	ster	*	
C. President	D. Vice presid	lent		
108. How many Lok sabha mem language?	bers are there	in Parliamentary	committee on Office	cial
A. 20 B. 25	C. 30	D. 35		
109. What is the periodicity of the Committee?	meeting of Tow	n Official Language	Implementation	
A. Once in 3 months	B. Once in 6 r	months		
C. Once in 9 months	D. Once in 12	months		
110. As per the constitution, who is	s translating the	Statutory Rules, R	egulations and Order	rs?
A. Home ministry	B. Edu	ucation ministry		
C. Law ministry		D. Defence minis	try	